# MATERIAL SA H2940 HWY DY N. Postesier, MM 55901

MSDS# 358-20 **Total Pages: 6** Date: 11/04/2013

Foam Plus Foaming Coil Cleaner

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Catalog No. 358-20

Manufactured by: Specialty Chemical Manufacturing A DiversiTech Company 1633-B High Bridge Road Quincy, FL 32351

D.O.T. EMERGENCY Phone: 1+800.255.3924 Chem-Tel +01.813.248.0584 International

Phone Number for Information: 770-422-2071 (Mon - Fri / 8am-5pm ET)

Date Revised: Nov. 4, 2013

Revision #: 2.0

#### **SECTION 2. HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW** HMIS: See Section 15

DANGER: CORROSIVE MATERIAL. MAY CAUSE BURNS. IRRITATING TO EYES. MAY CAUSE SKIN IRRITATION. CONTENTS UNDER PRESSURE CONTAINER MAY EXPLODE IF HEATED.

Potential Health Effects: See Section 11 for more information.

Likely Routes of Exposure: Skin contact, eye contact, inhalation, and ingestion.

Irritating to eyes. May cause skin irritation.

Ingestion: Not a normal route of exposure. Harmful: may cause lung damage if swallowed.

Inhalation: May cause respiratory tract irritation. May cause a sphyxiation. This product may be aspirated into the lungs and cause chemical

pneumonitis.

Chronic Effects: Prolonged or repeated contact may dry skin and cause irritation.

Signs and Symptoms: Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Handling can cause dry skin. Vapours may cause drowsiness and dizziness.

Medical Conditions Aggravated By Exposure: Asthma. Allergies. Target Organs: Skin, eyes, gastrointestinal tract, respiratory system.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential Environmental Effects: May cause long-term adverse effects in the aquatic environment. See Section 12 for more information.

### SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	CAS No.	% Weight
Propylene glycol mono-n-propyl ether	1569-01-3	3 -7
Isobutane	75-28-5	1 - 5
Sodium metasilicate	6834-92-0	05-15

#### **SECTION 4. FIRST AID MEASURES**

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get **Eve Contact:** 

medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before-reuse. Call a

physician if irritation develops and persists.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Ingestion: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

General Advice: In case of accident or if you feel unwell, seek medical advice immediately (show the label or MSDS where possible).

Note to Physicians: Symptoms may not appear immediately.

### **SECTION 5. FIRE FIGHTING MEASURES**

Flammability: Not flammable by OSHA criteria.

Means of Extinction:

Suitable Extinguishing Media: Powder, foam, carbon dioxide.

Unsuitable Extinguishing Media: Water.

Products of Combustion: Oxides of carbon.

**Explosion Data:** 

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

Protection of Firefighters: Containers may explode when heated. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal Precautions: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.

Environmental Precautions: Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). This material is a water pollutant. Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

Methods for Containment: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for Clean-Up: Vacuum or sweep material and place in a disposal container. Allow gas to dissipate harmlessly into the atmosphere. Other Information: Not available.

#### **SECTION 7. HANDLING AND STORAGE**

Handling: Keep away from sources of ignition. No smoking. Avoid contact with skin and eyes. Do not swallow. Do not breathe gas/fumes/vapor/spray. Use only in well-ventilated areas. Handle and open container with care. When using, do not eat or drink. Wash hands before eating, drinking, or smoking. Storage: Keep out of the reach of children. Keep container in a well-ventilated place. Do not store at temperatures above 49°C / 120°F.

#### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## **Exposure Guidelines**

Ingredient
Propylene glycol mono-n-propyl ether
Isobutane
Sodium metasilicate

Exposure Limits
OSHA-PEL
Not available.
Not available.
Not available.

HMIS: See Section 15

Engineering Controls: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Personal Protective Equipment:

Eye/Face Protection: Wear eye/face protection.

Hand Protection: Wear suitable gloves.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

General Hygiene Considerations: Handle according to established industrial hygiene and safety practices.

DiversiTech Corporation 6650 Sugarloaf Parkway Duluth, GA 30097 Chemical Emergency: P 800-255-3924

P 678.542.3600 F 678.542.3700

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Opaque

Color: White to light yellow.

Odour: Citrus.
Odour Threshold: Not available.

Physical State: Gas/Pressurized Liquid.

pH: > 12 Viscosity: Freezing Point: Not available. Not available. **Boiling Point:** Not available. Flash Point: Not available. **Evaporation Rate:** Not available. Lower Flammability Limit: Not available. Upper Flammability Limit: Not available. Vapor Pressure: Not available.

Vapor Density: > 1 (Air = 1)
Specific Gravity: 1.05 (Concentrate only)

Solubilityin Water: Complete.

Coefficient of Water/Oil Distribution: Not available.

Auto-ignition Temperature: Not available.

Percent Volatile,wt. %: Not available.

VOC content, wt. %: 10.0% (US federal/CARB/OTC/LADCO)

VOC content, g/L: Not available.

#### **SECTION 10. STABILITY AND REACTIVITY**

Stability: Stable under normal storage conditions. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn. Keep in a cool place

Conditions of Reactivity: Heat. Incompatible materials.

Incompatible Materials: Oxidizers.

Hazardous Decomposition Products: Oxides of carbon.

Possibility of Hazardous Reactions: No dangerous reaction known under conditions of normal use.

### SECTION 11. TOXICOLOGY INFORMATION

# EFFECTS OF ACUTE EXPOSURE

### **Component Analysis**

IngredientLD50(oral)LC50Propylene glycol mono-n-propyl ether2504 mg/kg, ratNot available.IsobutaneNot available.658 mg/L 4hr, ratSodium metasilicate600 mg/kg, ratNot available.

Eye: Irritating to eyes. Symptoms may include discomfort or pain, excess blinking andtear production, with marked redness and swelling of the conjunctiva.

Skin: May cause skin irritation. Handling can cause dry skin.

Ingestion: Not a normal route of exposure. Harmful: may causelung damage if swallowed.

Inhalation: May cause respiratory tract irritation. May cause asphyxiation. This product maybe aspirated into the lungs and cause chemical pneumonitis. Vapours maycause drowsiness and dizziness.

# **SECTION 11. TOXICOLOGY INFORMATION (cont.)**

#### **EFFECTS OF CHRONIC EXPOSURE**

Target Organs: Not available.

Chronic Effects: (Effects due to excessive exposure to the raw materials of this mixture). May cause diarrhea, vomiting or gastrointestinal irritation.

Carcinogenicity: Not hazardous by OSHA criteria.

Ingredient Chemical Listed as Carcinogen or Potential Carcinogen \*

Propylene glycol mono-n-propyl ether
Isobutane
Sodium metasilicate
Not listed
Not listed
Not listed

Mutagenicity: Not hazardous by OSHA criteria.
Reproductive Effects: Not hazardous by OSHA criteria.
Developmental Effects:

**Teratogenicity:** Not hazardous by OSHA criteria. **Embryotoxicity:** Not hazardous by OSHA criteria.

Respiratory Sensitization: Not hazardous by OSHA criteria. Skin Sensitization: Not hazardous by OSHA criteria. Toxicologically Synergistic Materials: Not available.

#### **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity: May cause long-term adverse effects in the aquatic environment

Persistence / Degradability: Not available. Bioaccumulation / Accumulation: Not available. Mobility in Environment: Not available.

# **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal Instructions: This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

# **SECTION 14. TRANSPORTATION INFORMATION**

**DOT Classification** 

ORM-D

#### **SECTION 15. REGULATORY INFORMATION**

Federal Regulations

US: MSDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200).

Page 4 of 5

SARA Title III

Ingredient Section Section **CERCLA** 302 (EHS) **304 EHS** Section RQ (lbs.) RQ (lbs.) TPQ (lbs.) 313 Propylene glycol mono-n-propyl ether Not listed Not listed Not listed Not listed Isobutane Not listed Not listed Not listed Not listed Sodium metasilicate Not listed Not listed Not listed Not listed

<sup>\*</sup> See Section 15 for more information.

# **SECTION 15. REGULATORY INFORMATION (cont.)**

#### State Regulations

#### California Proposition 65:

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

#### **Global Inventories**

	USA
Ingredient	TSCA
Propylene glycol mono-n-propyl ether	Yes
Isobutane	Yes
Sodium metasilicate	Yes

#### **HMIS - Hazardous Materials Identification System**

Physical Hazard - 0 Flammability - 1 PPE - B

#### NFPA - National Fire Protection Association:

Health - 2 Fire - 1 Reactivity - 0

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

#### SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

OSHA (O) Occupational Safety and Health Administration.

ACGIH (G) American Conference of Governmental Industrial Hygienists.

A1 - Confirmed human carcinogen.

A2 - Suspected human carcinogen.

A3 - Animal carcinogen.

A4 - Not classifiable as a human carcinogen.

A5 - Not suspected as a human carcinogen.

#### IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

- 3 The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans
- 4 The agent (mixture, exposure circumstance) is probably not carcinogenic to humans

#### NTP (N) National Toxicology Program.

- 1 Known to be carcinogens.2 Reasonably anticipated to be carcinogens.

## **SECTION 16. OTHER INFORMATION**

### Disclaimer:

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular

Chemical Emergency: P 800-255-3924