# MATERIAL SAFETY DATA SHEET MSDS L-227 REVISION 9

# **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

| The Dial Corporation<br>15101 N. Scottsdale Road<br>Scottsdale, Arizona 85254-993 | Medical Emergencies<br>Chemtrec:<br>4 Other Information:   | <ul> <li>S: 1-888-689-9082</li> <li>1-800-424-9300 (24 Hours Daily)</li> <li>1-888-468-6673</li> </ul> |
|---|--|--|
| PRODUCT:  | Liquid Hand Soap   | DATE OF ISSUE: March 27, 2008  |
| TRADE NAMES/SYNONYMS:   | Dial Complete® Antibacterial Foaming Hand Wash<br>Dial Complete® Antibacterial Foaming Lotion Hand Wash – Fresh Pear<br>Dial Complete® Antibacterial Foaming Lotion Hand Wash – Cool Plum<br>Dial Complete® Antibacterial Foaming Lotion Hand Wash – Kitchen<br>Dial Complete® Antibacterial Foaming Lotion Hand Soap – For Foodservice<br>Dial Complete® Antibacterial Foaming Hand Wash – Soothing White Tea |  |
| CHEMICAL FAMILY:  | Mixture  |  |
| I.D. NUMBERS:   |  | Dial Complete-Canada); 99101195 (Fresh Pear);<br>tchen); 99102437 (For Foodservice); 99103339          |

## **SECTION 2: HAZARD IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

CAUTION: This product is a clear or colored liquid with a very slight chemical odor. Direct contact with eyes may cause mild transient irritation. Repeated or prolonged excessive exposure may cause irritation or dermatitis. No significant environmental effects. Not a fire hazard. Product is stable.

This product is labeled in accordance with guidelines set forth in the Food, Drug, and Cosmetic Act. The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this Material Safety Data Sheet may differ from the requirements of the FD&C Act and as a result, this MSDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

### **REGULATORY STATUS**

While this product is not considered to be hazardous under OSHA's Hazard Communication Standard (29 CFR 1900.1200), this MSDS includes valuable information that is critical for safe handling and proper use of this product. This MSDS should be retained and available for employees and other users of this product.

### POTENTIAL HEALTH EFFECTS

NOTE: The acute health effects described below are those which could potentially occur for the finished product. They are based on the toxicology information available for the finished product and/or each hazardous ingredient, and are consistent with the product type and the likelihood of a specific route of exposure. Known chronic health effects related to exposure to a specific ingredient are indicated.

EYE CONTACT: May cause mild transient irritation.

SKIN CONTACT: Repeated or prolonged excessive exposure may cause irritation or dermatitis.

INGESTION: May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

INHALATION: Unlikely to occur due to the physical properties of the product.

CHRONIC HEALTH EFFECTS: None known.

MEDICAL CONDITIONS GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE: Pre-existing skin conditions.

### POTENTIAL ENVIRONMENTAL EFFECTS

See Section 12: Ecological Information.

The Dial Corporation • Center For Innovation • 15101 N. Scottsdale Rd • Scottsdale, AZ 85254 Page 1 of 6

DIAL COMPLETE ANTIBACTERIAL FOAMING HAND WASH

MSDS L-227 (Rev. 9) March 27, 2008

## **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

Based on our hazard evaluation, the following chemical substance(s) in this product have been identified as hazardous.

| INGREDIENT              | CAS NUMBER | PERCENT (w/w) |
|-------------------------|------------|---------------|
| Sodium Xylenesulfonate  | 1300-72-7  | 10 – 30 %     |
| Dipropylene Glycol      | 25265-71-8 | 1 – 5 %       |
| Ammonium Lauryl Sulfate | 2235-54-3  | 1 – 5 %       |
| Glycerin                | 56-81-5    | 0-5 %         |
| Triclosan               | 3380-34-5  | 0.1 – 1 %     |
|                         |            |               |

### **SECTION 4: FIRST AID MEASURES**

EYES: Rinse eyes immediately with plenty of water, occasionally lifting upper and lower lids, until no evidence of product remains. Get medical attention if pain or irritation persists.

SKIN: Rinse affected area with plenty of water until no evidence of product remains. Get medical attention if irritation persists.

INGESTION: Treat symptomatically and supportively. Maintain airway and respiration. If vomiting occurs, keep head below hips to prevent aspiration. Dilution by rinsing the mouth and giving water or milk to drink is generally recommended. If unconscious, the victim should not be given anything to drink. Contact physician or local poison control center.

INHALATION: Remove from exposure area to fresh air. Keep affected person warm and at rest. Treat symptomatically and supportively. Contact physician or local poison control center. If breathing has stopped, give artificial respiration, and get medical attention immediately.

NOTE TO PHYSICIAN: The physician's judgment should be used to control symptoms and clinical condition based on the individual reactions of the patient.

### **SECTION 5: FIRE FIGHTING MEASURES**

### FLAMMABLE PROPERTIES

OSHA FLAMMABILITY CLASSIFICATION: Not applicable

FLASH POINT: None

UPPER FLAMMABILITY LIMIT: Not applicable

LOWER FLAMMABILITY LIMIT: Not applicable

AUTO-IGNITION TEMPERATURE: Not applicable

FIRE AND EXPLOSION HAZARD: Negligible fire hazard when exposed to heat or flame.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon and oxides of nitrogen.

### **EXTINGUISHING MEDIA**

Dry chemical, carbon dioxide, water spray or regular foam.

### **PROTECTION OF FIREFIGHTERS**

In case of fire, wear a full-face positive-pressure self-contained breathing apparatus and protective suit. Move container from fire area if you can do it without risk. Apply cooling water to sides of containers that are exposed to flames until well after fire is out. Extinguish only if flow can be stopped; use flooding amounts of water as a fog, solid streams may be ineffective. Avoid breathing vapors, keep upwind.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

The Dial Corporation • Center For Innovation • 15101 N. Scottsdale Rd • Scottsdale, AZ 85254 Page 2 of 6

DIAL COMPLETE ANTIBACTERIAL FOAMING HAND WASH MSDS L-227 (Rev. 9) March 27, 2008 Wear skin, eye and respiratory protection as recommended in Section 8. Stop or reduce any leaks if it is safe to do so. Spills present a slipping hazard. Keep unnecessary personnel away. Ventilate spill area if possible. Make sure area is slip-free before re-opening to traffic.

#### ENVIRONMENTAL PRECAUTIONS

Small or household quantities may be disposed in sewer or other liquid waste system. For larger quantities check with your local water treatment plant.

#### METHODS FOR CONTAINMENT AND CLEAN UP

SMALL SPILLS: Contain and absorb with absorbent material and place into containers for later disposal. Wash site of spillage thoroughly with water. LARGE SPILLS: Dike far ahead of spill to prevent further movement. Recover by pumping or by using a suitable absorbent material and place into containers for later disposal. Dispose in suitable waste container.

### **SECTION 7: HANDLING AND STORAGE**

#### HANDLING:

Do not get in eyes. Do not take internally. Use with adequate ventilation. Avoid generating aerosols and mists.

#### STORAGE:

Store in original containers in a cool dry area. Store away from incompatible substances and excessive heat. Storage areas for large quantities (warehouse) should be well ventilated. Keep the containers tightly closed when not in use.

## **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

This product is a personal care or cosmetic product. The use of this product by consumers is safe under normal and reasonable foreseen use. The information provided below refers to the occupational settings.

#### WORKER EXPOSURE LIMITS

The following exposure limits exist for the ingredients listed below. The TLV-TWA is the ACGIH Threshold Limit Value – Time Weighted Average. TLV-Ceiling Limit is the ACGIH Threshold Limit Value – Ceiling Limit. PEL-TWA is the OSHA Permissible Exposure Limit.

| INGREDIENT | CAS NUMBER | EXPOSURE LIMIT   |
|------------|------------|--|
| Glycerin   | 56-81-5    | TLV-TWA: 10 mg/m <sup>3</sup> (mist), PEL-TWA: 5mg/m <sup>3</sup> (respirable fraction), |
| -          |            | PEL-TWA: 10 mg/m <sup>3</sup> (total mist)   |

ENGINEERING CONTROLS: Provide local exhaust or general dilution ventilation to keep exposure to airborne contaminants below the permissible exposure limits where mists or vapors may be generated.

RESPIRATOR: Air contamination monitoring should be carried out where mists or vapors are likely to be generated, to assure that the employees are not exposed to airborne contaminants above the permissible exposure limits. If respiratory protection is required, it must be based on the contamination levels found in the workplace, must not exceed the working limits of the respirator and be jointly approved by the National Institute for Occupational Safety and Health and the Mine Safety and Health Administration (NIOSH-MSHA).

FOR FIRE FIGHTING AND OTHER IMMEDIATELY DANGEROUS TO LIFE OR HEALTH CONDITIONS: Any selfcontained breathing apparatus that has a full-face piece and is operated in a pressure-demand or other positive-pressure mode. Any supplied-air respirator that has a full-face piece and is operated in a pressure-demand or other positivepressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure demand or other positive-pressure mode.

CLOTHING: Protective clothing is required where repeated or prolonged skin contact may occur.

GLOVES: Chemical-resistant gloves are required where repeated or prolonged skin contact may occur.

EYE/FACE PROTECTION: Safety glasses are required to prevent eye contact where splashing of product may occur.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

| APPEARANCE:  | Clear or colored liquid |                 |               |
|--|-------------------------|-----------------|---------------|
| ODOR/ODOR THRESHOLD:   | Slight chemical odor    | PHYSICAL STATE: | Liquid        |
| pH (@ 25°C):   | 5.5 – 6.5               | VAPOR DENSITY:  | Not available |
| The Dial Corporation • Center For Innovation • 15101 N. Scottsdale Rd • Scottsdale, AZ 85254 |                         |                 |               |
| Page 3 of 6  |                         |                 |               |

DIAL COMPLETE ANTIBACTERIAL FOAMING HAND WASH MSDS L-227 (Rev. 9) March 27, 2008 **BOILING POINT:** Not available VAPOR PRESSURE: Not available MELTING/FREEZING POINT: Not available FLASH POINT: See Section 5. FLAMMABLE PROPERTIES: See Section 5. SOLUBILITY IN WATER: Nearly Complete DENSITY/SPECIFIC GRAVITY: 1.05 - 1.09 g/ml EVAPORATION RATE: Not available OCTANOL/WATER PARTITION COEFFICIENT (Kow): Not available VISCOSITY: Not available

# **SECTION 10: STABILITY AND REACTIVITY**

CHEMICAL STABILITY: Stable under normal ambient temperature (70°F, 21°C) and pressure (1 atm).

CONDITIONS TO AVOID: Avoid storing in direct sunlight and avoid extremes of temperature.

INCOMPATIBLE MATERIALS: Strong oxidizers, acids.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition may release toxic and/or hazardous gases, including ammonia.

POSSIBILITY OF HAZARDOUS REACTIONS: Hazardous polymerization will not occur.

# SECTION 11: TOXICOLOGICAL INFORMATION

PRODUCT INFORMATION SUMMARY: This product is a personal care or cosmetic product. The use of this product by consumers is safe under normal and reasonable foreseen use. Direct contact with eyes may cause mild transient irritation. Repeated or prolonged excessive exposure may cause irritation or dermatitis.

COMPONENT ANALYSIS: The following toxicity information is for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings.

| INGREDIENT   | LD50 / DRAIZE SCORE  | TOXICITY / IRRITATION RATING                                |
|--|--|---|
| ACUTE ORAL TOXICITY<br>Glycerin<br>Triclosan<br>Dipropylene glycol   | 12,600 mg/kg (rat)<br>3,700 mg/kg (rat)<br>13,300 mg/kg (rat)              | Non-hazardous<br>Moderatly Toxic<br>Non-hazardous           |
| ACUTE DERMAL TOXICITY<br>Glycerin<br>Triclosan<br>Dipropylene glycol | > 10,000 mg/kg (rabbit)<br>9,300 mg/kg (rabbit)<br>> 20,600 mg/kg (rabbit) | Non-hazardous<br>Practically Non-hazardous<br>Non-hazardous |
| ACUTE INHALATION TOXICITY<br>Glycerin                                | > 570 mg/m <sup>3</sup> (rat)  | Toxic   |

SENSITIZATION: This product is not considered a skin or respiratory sensitizer.

CARCINOGENICITY: None of the ingredients in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA).

MUTAGENICITY: None of the ingredients in this product are known to cause mutagenicity.

REPRODUCTIVE/FETAL/DEVELOPMENTAL TOXICITY: None of the ingredients in this product are known as reproductive, fetal, or developmental hazards.

TARGET ORGAN TOXICITY: None of the ingredients in this product are known to have target organ toxicity.

EPIDEMIOLOGICAL INFORMATION: None of the ingredients in this product are known to have health-related information in working populations.

### SECTION 12: ECOLOGICAL INFORMATION

The Dial Corporation • Center For Innovation • 15101 N. Scottsdale Rd • Scottsdale, AZ 85254 Page 4 of 6

DIAL COMPLETE ANTIBACTERIAL FOAMING HAND WASH MSDS L-227 (Rev. 9) March 27, 2008 This product is anticipated to be safe for the environment at concentrations predicted in household settings under normal use conditions. The following toxicity information is available for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings.

| <b>PRODUCT / INGREDIENT</b>                   | LC50/EC50 (ANIMAL SPECIE)   | TOXICITY RATING                      |
|---|---|--------------------------------------|
| VERTEBRATES<br>Glycerin<br>Dipropylene glycol | 96-hr LC50: 50 mg/L (Oncorhynchus mykiss)<br>24-hr LC50: > 5,000 mg/L (Carassius auratus) | Harmful<br>Practically Non-Hazardous |
| INVERTEBRATES<br>Glycerin                     | 24-hr EC50: > 500 mg/L (Daphnia magna)  | Practically Non-Hazardous            |

ENVIRONMENTAL FATE: No environmental fate data exists for the product. The product is anticipated to be rapidly biodegradable.

PERSISTENCE AND DEGRADABILITY: The persistence and degradability of this product has not been determined.

BIOACCUMULATION POTENTIAL: The bioaccumulation potential of this product has not been determined.

MOBILITY: The mobility of this product (in soil and water) has not been determined.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

WASTE NUMBER AND DESCRIPTION:Not applicable, not regulated.

DISPOSAL CONSIDERATIONS: This product is not a RCRA hazardous waste and can be disposed of in accordance with federal, state and local regulations.

### **SECTION 14: TRANSPORT INFORMATION**

#### **GROUND TRANSPORT**

DOT Hazard Class: DOT Proper Shipping Name: UN/NA Number: Not regulated Not applicable Not applicable Packing Group: Shipping Label Information: Not applicable Not applicable

#### MARINE TRANSPORT (IMDG/IMO) IMDG/IMO Hazard Class: IMDG/IMO Proper Shipping Name:

Not regulated Not applicable

### **AIR TRANSPORT (ICAO/IATA)**

ICAO/IATA Hazard Class: ICAO/IATA Proper Shipping Name: Not regulated Not applicable

SECTION 15: REGULATORY INFORMATION

### UNITED STATES:

OSHA HAZARD COMMUNICATION RULE, 29 CFR 1910.1200:

The Occupational Safety and Health Administration requires Material Safety Data Sheets to provide any hazards that may be associated with the product, and make this information available in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this MSDS may contain additional health hazard information not pertinent to consumer use.

### FOOD AND DRUG ADMINISTRATION:

This product is regulated as a cosmetic under the Food and Drug Administration.

EPA - SARA TITLE III SECTION 313: Not applicable - Consumer product.

EPA CERCLA/SARA TITLE III SUPERFUND AMENDMENT AND REAUTHORIZATION ACT: This product contains no CERCLA/SARA Title III materials. This product contains no hazardous chemicals reportable under Sections 311/312. This product contains no hazardous chemicals reportable under Section 304.

TSCA: All components of this product are either listed on or exempt from the U.S. Toxic Substances Control Act (TSCA) chemical substance inventory.

### STATE REGULATIONS

CALIFORNIA PROPOSITION 65: This product does not contain substances listed under California Proposition 65.

### CANADA:

The Dial Corporation • Center For Innovation • 15101 N. Scottsdale Rd • Scottsdale, AZ 85254 Page 5 of 6

DIAL COMPLETE ANTIBACTERIAL FOAMING HAND WASH

MSDS L-227 (Rev. 9) March 27, 2008

CANADIAN ENVIRONMENTAL PROTECTION ACT: INVENTORY STATUS: Some components of this product are not listed on the Canadian Domestic Substances List (DSL) nor the NDSL.

HEALTH CANADA: This product is regulated as a cosmetic product under the Cosmetics Programme.

WORKER HAZARDOUS MATERIALS INFORMATION SYSTEM: WHMIS CLASSIFICATION: Not subject to classification.

# **SECTION 16: OTHER INFORMATION**

DISCLAIMER: The information contained herein is provided in good faith and is believed to be correct as of the date hereof. However, The Dial Corporation makes no representation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgment in determining its appropriateness for a particular purpose. Accordingly, The Dial Corporation will not be responsible for damages of any kind resulting from the use of or reliance upon such information. No representations, or warranties, either expressed or implied of merchantability, fitness for a particular purpose or of any other nature is made hereunder with respect to the information set forth herein or to the product to which the information refers.

NFPA RATINGS (Scale 0-4, where 4=high degree of hazard): HMIS RATINGS (Scale 0-4, where 4=severe hazard):

HEALTH=1 FLAMMABILITY=0 REACTIVITY=0 HEALTH=1 FLAMMABILITY=0 REACTIVITY=0

MSDS CREATION DATE: 12/12/00 SUPERCEDES: 05/04/07, Rev. 8 REVISION DATE: 03/27/08 REVISION: Added Trade Name and Formula I.D. Number