Page 1 of 15

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 09/17/2015 Reviewed on 09/17/2015

1 Identification

· Product identifier

· Trade name: Sheila Shine (Aerosol)

· Article number: No other identifiers

· Recommended use and restriction on use

· Recommended use: Polishing agent/ Burnishing compound

· Restrictions on use: No relevant information available.

· Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Sheila Shine Inc. 7725 W 2nd Court Hialeah, FL 33014 Phone: (305) 557-1729

· Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Aerosol 1 H222 Extremely flammable aerosol.



GHS04 Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.



GHS08 Health hazard

Carc. 1B H350 May cause cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

· Additional information:

There are no other hazards not otherwise classified that have been identified.

0 % of the mixture consists of component(s) of unknown toxicity.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Cont'd. on page 2)

Page 2 of 15

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 09/17/2015 Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 1)

· Hazard pictograms:









GHS02 GHS04 GHS07 GHS08

· Signal word: Danger

· Hazard-determining components of labeling:

Distillates (petroleum), solvent-refined light paraffinic

ethylbenzene

Distillates (petroleum), solvent-refined heavy paraffinic

tetrachloroethylene

Hazard statements:

H222 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

H350 May cause cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P251 Do not pierce or burn, even after use.

P260 Do not breathe mist/vapors/spray.
P211 Do not spray on an open flame or other ignition source.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system
- NFPA ratings (scale 0 4)



Health = 1 Fire = 3

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



^{* -} Indicates a long term health hazard from repeated or prolonged exposures.

(Cont'd. on page 3)

Page 3 of 15

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 09/17/2015 Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 2)

- · Other hazards
- · Results of PBT and vPvB assessment:
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| Dangerous | components: | |
|------------|---|--------|
| 64741-89-5 | Distillates (petroleum), solvent-refined light paraffinic | 30-60% |
| | & Carc. 1B, H350 | |
| 127-18-4 | tetrachloroethylene | 10-30% |
| | & Carc. 2, H351 | |
| 64741-88-4 | Distillates (petroleum), solvent-refined heavy paraffinic | 10-30% |
| | & Carc. 1B, H350 | |
| 1330-20-7 | xylene | 7-13% |
| | Flam. Liq. 3, H226 Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315 | |
| 124-38-9 | carbon dioxide | <10% |
| | Press. Gas, H280 | |
| 100-41-4 | ethylbenzene | 1-5% |
| | ♠ Flam. Liq. 2, H225 ♠ Carc. 2, H351; STOT RE 2, H373; Asp. Tox. 1, H304 | |
| | ♦ Carc. 2, H351; STOT RE 2, H373; Asp. Tox. 1, H304 | |
| | Acute Tox. 4, H332 | |

Additional information:

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and exact percentage(s) are being withheld as a trade secret.

4 First-aid measures

- Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

Immediately remove any clothing soiled by the product.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

(Cont'd. on page 4)

Page 4 of 15

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 09/17/2015 Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 3)

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Unlikely route of exposure.

Rinse out mouth and then drink plenty of water.

A person vomiting while lying on their back should be turned onto their side.

Do not induce vomiting; immediately call for medical help.

· Information for doctor

· Most important symptoms and effects, both acute and delayed:

Coughing

Breathing difficulty

Dizziness

Irritant to skin and mucous membranes.

Nausea

Slight irritant effect on eyes.

Gastric or intestinal disorders when ingested.

Disorientation

· Danger:

Danger of disturbed cardiac rhythm.

Danger of convulsion.

Danger of impaired breathing.

Carcinogenic.

Danger through skin absorption.

May be harmful if inhaled.

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

Monitor circulation.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

Water fog / haze

Foam

Fire-extinguishing powder

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water stream.
- · Special hazards arising from the substance or mixture

Danger of receptacles bursting because of high vapor pressure if heated.

During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information:

Eliminate all ignition sources if safe to do so.

Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

(Cont'd. on page 5)

Page 5 of 15

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 09/17/2015 Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 4)

Cool endangered receptacles with water fog.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Keep away from ignition sources.

Keep people at a distance and stay upwind.

Particular danger of slipping on leaked/spilled product.

Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).

Remove from the water surface (e.g. skim or suck off).

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

Used rags or other cleaning materials should be soaked with water and placed in a sealed container.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling:

Keep away from heat and direct sunlight.

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Rags, metal wools / cuttings / shavings and waste papers soaked with product must be placed in a sealed metal container rated for flammable waste.

· Information about protection against explosions and fires:

Emergency cooling must be available in case of nearby fire.

Keep ignition sources away - Do not smoke.

Prevent impact and friction.

Flammable gas-air mixtures may be formed in empty receptacles.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 120 °F / 49 °C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

(Cont'd. on page 6)

Page 6 of 15

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 09/17/2015 Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 5)

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

· Specific end use(s): No relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

| 127-18-4 tetrac | rith limit values that require monitoring at the workplace: |
|-----------------|---|
| PEL (USA) | Long-term value: 100 ppm Ceiling limit value: 200; 300* ppm *5-min peak in any 3 hrs |
| REL (USA) | Minimize workplace exp. concs.;Pocket Guide App. A |
| TLV (USA) | Short-term value: 685 mg/m³, 100 ppm Long-term value: 170 mg/m³, 25 ppm BEI |
| EL (Canada) | Short-term value: 100 ppm Long-term value: 25 ppm IARC 2A |
| EV (Canada) | Short-term value: 100 ppm Long-term value: 25 ppm |
| LMPE (Mexico) | Short-term value: 100 ppm Long-term value: 25 ppm A3, IBE |
| 124-38-9 carbo | n dioxide |
| PEL (USA) | Long-term value: 9000 mg/m³, 5000 ppm |
| REL (USA) | Short-term value: 54.000 mg/m³, 30.000 ppm Long-term value: 9000 mg/m³, 5000 ppm |
| TLV (USA) | Short-term value: 54.000 mg/m³, 30.000 ppm Long-term value: 9000 mg/m³, 5000 ppm |
| EL (Canada) | Short-term value: 15000 ppm Long-term value: 5000 ppm |
| EV (Canada) | Short-term value: 54.000 mg/m³, 30.000 ppm Long-term value: 9.000 mg/m³, 5.000 ppm |
| LMPE (Mexico) | Short-term value: 30000 ppm Long-term value: 5000 ppm |
| 1330-20-7 xyler | 10 |
| PEL (USA) | Long-term value: 435 mg/m³, 100 ppm |

Page 7 of 15

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 09/17/2015 Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

| | · , | |
|-------------------|--|---------------------|
| | | (Cont'd. of page 6) |
| REL (USA) | Short-term value: 655 mg/m³, 150 ppm Long-term value: 435 mg/m³, 100 ppm | |
| TLV (USA) | Short-term value: 651 mg/m³, 150 ppm | |
| TEV (OSA) | Long-term value: 434 mg/m³, 100 ppm BEI | |
| EL (Canada) | Short-term value: 150 ppm Long-term value: 100 ppm | |
| EV (Canada) | Short-term value: 650 mg/m³, 150 ppm Long-term value: 435 mg/m³, 100 ppm | |
| LMPE (Mexico) | Short-term value: 150 ppm Long-term value: 100 ppm A4, IBE | |
| 100-41-4 ethylk | penzene | |
| PEL (USA) | Long-term value: 435 mg/m³, 100 ppm | |
| REL (USA) | Short-term value: 545 mg/m³, 125 ppm Long-term value: 435 mg/m³, 100 ppm | |
| TLV (USA) | Long-term value: 87 mg/m³, 20 ppm BEI | |
| EL (Canada) | Long-term value: 20 ppm IARC 2B | |
| EV (Canada) | Short-term value: 540 mg/m³, 125 ppm Long-term value: 435 mg/m³, 100 ppm | |
| LMPE (Mexico) | Long-term value: 20 ppm | |
| · Ingredients wit | h biological limit values: | |
| 127-18-4 tetrac | | |
| Time | om lium: end-exhaled air e: prior to shift ameter: Tetrachloroethylene | |
| Med Time | mg/L lium: blood e: prior to shift ameter: Tetrachloroethylene | |
| 1330-20-7 xylei | | |
| Time! | g/g creatinine lium: urine e: end of shift ameter: Methylhippuric acids | |
| | | (Cont'd. on page 8) |

Page 8 of 15

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 09/17/2015 Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 7)

100-41-4 ethylbenzene

BEI (USA) 0.7 g/g creatinine

Medium: urine

Time: end of shift at end of workweek

Parameter: Sum of mandelic acid and phenylglyoxylic acid (nonspecific, semi-quantitative)

_

Medium: end-exhaled air

Time: not critical

Parameter: Ethyl benzene (semi-quantitative)

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Do not carry product impregnated cleaning cloths in trouser pockets.

- · Engineering controls: No relevant information available.
- · Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation.

For spills, respiratory protection may be advisable.

NIOSH or EN approved organic vapor respirator equipped with a dust/mist prefilter should be used.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment No relevant information available.
- Risk management measures

See Section 7 for additional information.

No relevant information available.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General information
- · Appearance:

Form:

Liquid

Color:

Clear

(Cont'd. on page 9)

Page 9 of 15

(Cont'd. of page 8)

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 09/17/2015 Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

· **Odor**: Pleasant

Not determined.

· **pH-value:** Not determined.

Change in condition:

· Odor threshold:

Melting point/Melting range: Not determined. Boiling point/Boiling range: 110 °C (230 °F)

• **Flash point:** 53 °C (127 °F) (TOC of liquid)

Flammability (solid, gaseous): Not applicable.
 Auto-ignition temperature: Not determined.
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

• Danger of explosion: Product is not explosive. However, formation of explosive air/

vapor mixtures are possible.

· Explosion limits:

Lower: 1.1 Vol % (estimated) **Upper:** 7.0 Vol % (estimated)

· Vapor pressure at 20 °C (68 °F): (Liquid) 10 mmHg ((Propellant) 838 psig)

Density at 20 °C (68 °F): 0.964 g/cm³ (8.045 lbs/gal)

Relative density: Not determined.
Vapor density at 20 °C (68 °F): > 1 (air = 1)

• Evaporation rate at 20 °C (68 °F): < 1 (butyl acetate = 1)

· Solubility in / Miscibility with:

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

• Other information No relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions:

Develops readily flammable gases / fumes.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

Reacts with strong acids and oxidizing agents.

Reacts with certain metals.

Toxic fumes may be released if heated above the decomposition point.

(Cont'd. on page 10)

Page 10 of 15

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 09/17/2015 Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 9)

- · Conditions to avoid: Keep ignition sources away Do not smoke.
- · **Incompatible materials:** No relevant information available.
- · Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Hydrocarbons

Chlorine compounds

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| • | | | | | |
|--|------------------|---------------------|--|--|--|
| · LD/LC50 values that are relevant for classification: | | | | | |
| 127-18-4 tetrachloroethylene | | | | | |
| Oral | LD50 | 2629 mg/kg (rat) | | | |
| 1 | 1330-20-7 xylene | | | | |
| Oral | LD50 | 4300 mg/kg (rat) | | | |
| Dermal | LD50 | 2000 mg/kg (rabbit) | | | |

- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Based on available data, the classification criteria are not met.
- · Sensitization: Based on available data, the classification criteria are not met.
- · Additional toxicological information:

May cause acne.

Inhalation of concentrated vapors as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

· Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program):

127-18-4 tetrachloroethylene

R

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

Inhalation.

Eye contact.

Skin contact.

· Acute effects (acute toxicity, irritation and corrosivity):

Vapors have narcotic effect.

May be harmful if inhaled.

- Repeated dose toxicity: May cause damage to organs through prolonged or repeated exposure.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Carc. 1B

- · Carcinogenicity: May cause cancer.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.

(Cont'd. on page 11)

Page 11 of 15

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 09/17/2015 Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 10)

- · STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: May cause damage to organs through prolonged or repeated exposure.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: Toxic for aquatic organisms
- · Persistence and degradability: The product is partially biodegradable. Significant residuals remain.
- Behavior in environmental systems
- · Bioaccumulative potential: No relevant information available.
- · **Mobility in soil:** No relevant information available.
- **Ecotoxical effects:**
- · Remark:

Toxic for fish

Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

- · Additional ecological information
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

· Other adverse effects: No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packagings
- · **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· DOT, ADR, IMDG, IATA

UN1950

· UN proper shipping name

- **DOT** Aerosols

· **ADR** 1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS

· IMDG AEROSOLS, MARINE POLLUTANT

(Cont'd. on page 12)

Page 12 of 15

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 09/17/2015 Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 11)

Aerosols, flammable, containing substances in Division 6.1,

Packing Group III

· Transport hazard class(es)

· DOT

·IATA



· Class 2.1 · Label 2.1

· ADR





·IMDG



• Class 2.1 • Label 2.1+6.1

· IATA



· Class 2.1 · Label 2.1+6.1

Packing group Aerosols are not assigned a packing group.

• **Environmental hazards** Product contains environmentally hazardous substances:

tetrachloroethylene

· Marine pollutant: Yes

Symbol (fish and tree)

Special marking (ADR): Symbol (fish and tree)Special precautions for user Warning: Gases

Danger code (Kemler):

, , a.

· EMS Number: F-D,S-U

· **Segregation groups** Liquid halogenated hydrocarbons

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

(Cont'd. on page 13)

Page 13 of 15

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 09/17/2015 Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

| | (Cont'd. of page 12) |
|-------------------------------------|---|
| · Transport/Additional information: | |
| · DOT | Limited Quantity for packages less than 30 kg and inner packagings less than 1000 mL. |
| · ADR | Limited Quantity for packages less than 30 kg and inner packagings less than 120 mL. |
| ·IMDG | Limited Quantity for packages less than 30 kg and inner packagings less than 120 mL. |
| ·IATA | Limited Quantity for packages less than 30 kg and inner packagings less than 120 mL. |

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- **United States (USA)**
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 304 (emergency release notification):

None of the ingredients are listed.

Sections 311/312 (hazardous chemical threshold planning quantity in pounds):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

127-18-4 tetrachloroethylene

1330-20-7 xylene

100-41-4 ethylbenzene

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- Proposition 65 (California)
- · Chemicals known to cause cancer:

127-18-4 tetrachloroethylene

100-41-4 ethylbenzene

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

(Cont'd. on page 14)

Page 14 of 15

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 09/17/2015 Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

| Operating marries and a marries | (Cont'd. of page 13) |
|---|----------------------|
| · Carcinogenic categories | |
| · EPA (Environmental Protection Agency): | |
| 127-18-4 tetrachloroethylene | L |
| 1330-20-7 xylene | I |
| 100-41-4 ethylbenzene | D |
| · IARC (International Agency for Research on Cancer): | |
| 127-18-4 tetrachloroethylene | 2A |
| 1330-20-7 xylene | 3 |
| 100-41-4 ethylbenzene | 2B |
| · TLV (Threshold Limit Value established by ACGIH): | |
| 127-18-4 tetrachloroethylene | A3 |
| 1330-20-7 xylene | A4 |
| 100-41-4 ethylbenzene | A3 |
| NIOSH-Ca (National Institute for Occupational Safety and Health): | |
| 127-18-4 tetrachloroethylene | |
| Canadian substance listings | |
| · Canadian Domestic Substances List (DSL): | |
| All ingredients are listed. | |
| · Canadian Ingredient Disclosure list (limit 0.1%): | |
| 100-41-4 ethylbenzene | |
| · Canadian Ingredient Disclosure list (limit 1%): | |
| 127-18-4 tetrachloroethylene | |
| | |

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Date of preparation / last revision 09/17/2015 / -

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

(Cont'd. on page 15)

Page 15 of 15

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 09/17/2015 Reviewed on 09/17/2015

Trade name: Sheila Shine (Aerosol)

(Cont'd. of page 14)

LD50: Lethal dose, 50 percent

Flam. Aerosol 1: Flammable aerosols, Hazard Category 1 Press. Gas: Gases under pressure: Compressed gas Press. Gas: Gases under pressure: Liquefied gas Flam. Liq. 2: Flammable liquids, Hazard Category 2
Flam. Liq. 3: Flammable liquids, Hazard Category 3
Acute Tox. 4: Acute toxicity, Hazard Category 4
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Carc. 1B: Carcinogenicity, Hazard Category 1B

Carc. 2: Carcinogenicity, Hazard Category 2 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Asp. Tox. 1: Aspiration hazard, Hazard Category 1

Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com